


## AMENDMENTS TO THE CLAIMS

The following **Listing of Claims** will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:


1. (Currently amended) A compound represented by the general formula:



wherein  $X_1$  represents ~~a nitrogen atom or~~ a group represented by the formula  $-CR_{10}=$ ,  $X_2$  represents ~~a nitrogen atom or~~ a group represented by the formula  $-CR_{11}=$ , ~~and  $X_1$  and  $X_2$  do not represent a nitrogen atom at the same time;~~


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula  $-NR_Y-$  (wherein  $R_Y$  represents a hydrogen atom or a  $C_{1-6}$  alkyl group);

$R_1$  represents an optionally substituted  $C_{1-6}$  alkoxy group, an optionally substituted  $C_{6-10}$  aryloxy group, a group represented by the formula  $-NR_{12a}R_{12b}$ , a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , a group represented by the formula  $-OR_{A12}$  (wherein  $R_{A10}$ ,  $R_{A11}$  and

R<sub>A12</sub> each independently represent a hydrogen atom, a C<sub>1-6</sub> alkyl group or C<sub>3-8</sub> cycloalkyl group) or a group represented by the formula:



(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula -CR<sub>X7</sub>R<sub>X8</sub>- or a group represented by the formula -NR<sub>X9</sub>-; R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub> represents a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group) or a group represented by the formula:




(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> each represent a hydrogen atom;

R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub>, R<sub>10</sub> and R<sub>11</sub> each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -CO-R<sub>13</sub>, a group represented by the formula -NR<sub>14</sub>-CO-R<sub>13</sub>, a group represented by the formula -SO<sub>2</sub>-R<sub>15</sub>, a group represented by the formula -NR<sub>14</sub>-SO<sub>2</sub>-R<sub>15</sub>, or a group represented by the formula -NR<sub>16a</sub>R<sub>16b</sub>;

R<sub>9</sub> represents a group represented by the formula -NR<sub>16a</sub>R<sub>16b</sub> ~~or a group represented by the formula:~~




~~(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);~~

R<sub>12a</sub> and R<sub>12b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted 3- to 10-

membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group;

R<sub>13</sub> represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


~~R<sub>2</sub> and R<sub>14</sub> each independently represent~~ represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula -CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R<sub>16a</sub> and R<sub>16b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, ~~an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group,~~ or an optionally substituted C<sub>1-6</sub> alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR<sub>X1</sub>R<sub>X2</sub>-, or a group represented by the formula -NR<sub>X3</sub>- (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula -A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A1</sub>R<sub>A2</sub>, or the formula -


OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)),

a salt thereof, or a hydrate of the foregoing.


2. (Currently amended) A compound represented by the general formula:



wherein X<sub>1</sub> represents ~~a nitrogen atom or~~ a group represented by the formula -CR<sub>10</sub>=, X<sub>2</sub> represents ~~a nitrogen atom or~~ a group represented by the formula -CR<sub>11</sub>=, ~~and X<sub>1</sub> and X<sub>2</sub> do not represent a nitrogen atom at the same time;~~


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula -NR<sub>Y</sub>- (wherein R<sub>Y</sub> represents a hydrogen atom or a C<sub>1-6</sub> alkyl group);

R<sub>1</sub> represents an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, a group represented by the formula:




(wherein Y<sub>A1</sub> and Y<sub>A2</sub> each independently represent a group represented by the formula -A<sub>10</sub>-A<sub>11</sub>-A<sub>12</sub> (wherein A<sub>10</sub> represents a single bond or an optionally substituted C<sub>1-6</sub> alkylene; A<sub>11</sub> represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and A<sub>12</sub> represents a hydrogen atom, a C<sub>1-6</sub> alkyl group, a C<sub>2-6</sub> alkenyl group, a C<sub>2-6</sub> alkynyl group, a C<sub>3-8</sub> cycloalkyl group, a C<sub>6-10</sub> aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula -NR<sub>A10</sub>R<sub>A11</sub>, a group represented by the formula -OR<sub>A12</sub> (wherein R<sub>A10</sub>, R<sub>A11</sub> and

R<sub>A12</sub> each independently represent a hydrogen atom, a C1-6 alkyl group or C<sub>3-8</sub> cycloalkyl group) or a group represented by the formula:



(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula –CR<sub>X7</sub>R<sub>X8</sub>– or a group represented by the formula –NR<sub>X9</sub>–; R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group)); and Y<sub>A3</sub> represents a hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group) or a group represented by the formula:




(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, and R<sub>8</sub> each represent a hydrogen atom;

R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub>, R<sub>10</sub> and R<sub>11</sub> each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, a group represented by the formula –CO-R<sub>13</sub>, a group represented by the formula –NR<sub>14</sub>-CO-R<sub>13</sub>, a group represented by the formula –SO<sub>2</sub>-R<sub>15</sub>, a group represented by the formula –NR<sub>14</sub>-SO<sub>2</sub>-R<sub>15</sub>, or a group represented by the formula –NR<sub>16a</sub>R<sub>16b</sub>;

R<sub>9</sub> represents a group represented by the formula –NR<sub>16a</sub>R<sub>16b</sub> ~~or a group represented by the formula:~~



~~(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);~~

R<sub>12a</sub> and R<sub>12b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted 3- to 10-

membered heterocyclic group, or an optionally substituted C<sub>1-6</sub> alkoxy group;

R<sub>13</sub> represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C<sub>1-6</sub> alkoxy group, an optionally substituted C<sub>6-10</sub> aryloxy group, a group represented by the formula -NR<sub>12a</sub>R<sub>12b</sub>, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


~~R<sub>2</sub> and R<sub>14</sub> each independently represent~~ represents a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, or a group represented by the formula -CO-R<sub>13</sub>;

R<sub>15</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>2-6</sub> alkenyl group, an optionally substituted C<sub>2-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R<sub>16a</sub> and R<sub>16b</sub> each independently represent a hydrogen atom, an optionally substituted C<sub>1-6</sub> alkyl group, an optionally substituted C<sub>3-6</sub> alkenyl group, an optionally substituted C<sub>3-6</sub> alkynyl group, an optionally substituted C<sub>3-8</sub> cycloalkyl group, an optionally substituted C<sub>6-10</sub> aryl group, ~~an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group,~~ or an optionally substituted C<sub>1-6</sub> alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR<sub>X1</sub>R<sub>X2</sub>-, or a group represented by the formula -NR<sub>X3</sub>- (wherein R<sub>X1</sub>, R<sub>X2</sub> and R<sub>X3</sub> each independently represent a hydrogen atom or a group represented by the formula -A<sub>1</sub>-A<sub>2</sub>-A<sub>3</sub> (wherein A<sub>1</sub> and A<sub>2</sub> each independently represent a single bond, an optionally substituted C<sub>1-6</sub> alkylene group or a carbonyl group; and A<sub>3</sub> represents a hydrogen atom, a C<sub>3-8</sub> cycloalkyl group, a group represented by the formula -NR<sub>A1</sub>R<sub>A2</sub>, or the formula -

OR<sub>A3</sub> (wherein, R<sub>A1</sub>, R<sub>A2</sub> and R<sub>A3</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))),

a salt thereof, or a hydrate of the foregoing.

3. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula –NH–, or a group represented by the formula –N(CH<sub>3</sub>)–.

4. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.

5. (Canceled).

6. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein both X<sub>1</sub> and X<sub>2</sub> represent a group represented by the formula –CH=.

7. (Canceled).

8. (Currently amended) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula –NHR<sub>17</sub> (wherein R<sub>17</sub> represents an optionally substituted C<sub>1-6</sub> alkyl group, a C<sub>3-6</sub> alkynyl group, a C<sub>3-8</sub> cycloalkyl group, or an optionally substituted C<sub>6-10</sub> aryl group ~~or an optionally substituted 5- to 10-membered heteroaryl group~~).

9. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>9</sub> represents a group represented by the formula –NR<sub>18a</sub>R<sub>18b</sub> (wherein R<sub>18a</sub> and R<sub>18b</sub> each independently represent a C<sub>1-6</sub> alkyl group).

10. (Canceled).


11. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NHR_{19}$  (wherein  $R_{19}$  represents a  $C_{1-6}$  alkyl group, a  $C_{3-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group or a  $C_{6-10}$  aryl group).

12. and 13. (Canceled).

14. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NHR_{20}$  (wherein  $R_{20}$  represents a methyl group, an ethyl group or a cyclopropyl group).

15. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_9$  represents a group represented by the formula  $-NH(CH_3)$ .


16. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a further optionally substituted group represented by the formula:



(wherein  $b_2$  represents 0, 1 or 2; and  $X$  represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula  $-CR_{X1}R_{X2}-$ , or a group represented by the formula  $-NR_{X3}-$  (wherein  $R_{X1}$ ,  $R_{X2}$  and  $R_{X3}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_1-A_2-A_3$  (wherein  $A_1$  and  $A_2$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_3$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A1}R_{A2}$ , or the formula  $-OR_{A3}$  (wherein,  $R_{A1}$ ,  $R_{A2}$  and  $R_{A3}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or an optionally substituted group represented




by the formula:




(wherein a represents 1 or 2))).

17. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula  $-CR_{X1}R_{X2}-$ , or a group represented by the formula  $-NR_{X3}-$  (wherein  $R_{X1}$ ,  $R_{X2}$  and  $R_{X3}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_1-A_2-A_3$  (wherein  $A_1$  and  $A_2$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_3$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A1}R_{A2}$ , or the formula  $-OR_{A3}$  (wherein,  $R_{A1}$ ,  $R_{A2}$  and  $R_{A3}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))).

18. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.


19. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $R_{X4}$  represents a hydrogen atom or a group represented by the formula  $-A_4-A_5-A_6$  (wherein  $A_4$  and  $A_5$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene or a carbonyl group; and  $A_6$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group or a

group represented by the formula  $-NR_{A4}R_{A5}$  or the formula  $-OR_{A6}$  (wherein  $R_{A4}$ ,  $R_{A5}$  and  $R_{A6}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group))).

20. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein  $R_{X5}$  and  $R_{X6}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_7-A_8-A_9$  (wherein  $A_7$  and  $A_8$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_9$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A7}R_{A8}$ , or the formula  $-OR_{A9}$  (wherein  $R_{A7}$ ,  $R_{A8}$ , and  $R_{A9}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or a group represented by the formula:



(wherein  $c_1$  represents 0, 1 or 2))).


21. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  and  $R_{X6}$  in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a  $C_{1-6}$  alkyl group.

22. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of  $R_{X5}$  or  $R_{X6}$  in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein  $c_2$  represents 1 or 2).

23. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein  $R_{X51}$  and  $R_{X61}$  each independently represent a hydrogen atom or a group represented by the formula  $-A_{71}-A_{81}-A_{91}$  (wherein  $A_{71}$  and  $A_{81}$  each independently represent a single bond, an optionally substituted  $C_{1-6}$  alkylene group or a carbonyl group; and  $A_{91}$  represents a hydrogen atom, a  $C_{3-8}$  cycloalkyl group, a group represented by the formula  $-NR_{A71}R_{A81}$ , or the formula  $-OR_{A91}$  (wherein  $R_{A71}$ ,  $R_{A81}$ , and  $R_{A91}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group), or a group represented by the formula:




(wherein  $c_{11}$  represents 0, 1 or 2))).

24. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formula:




(wherein  $Y_{A1}$  and  $Y_{A2}$  each independently represent a group represented by the formula  $-A_{10}-A_{11}-A_{12}$  (wherein  $A_{10}$  represents a single bond or an optionally substituted  $C_{1-6}$  alkylene group;  $A_{11}$  represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and  $A_{12}$  represents a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_{2-6}$  alkenyl group, a  $C_{2-6}$  alkynyl group, a  $C_{3-8}$  cycloalkyl group, a  $C_{6-10}$  aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula  $-NR_{A10}R_{A11}$ , or the formula  $-OR_{A12}$  (wherein,  $R_{A10}$ ,  $R_{A11}$  and  $R_{A12}$  each independently represent a hydrogen atom, a  $C_{1-6}$  alkyl group or a  $C_{3-8}$  cycloalkyl group), or a group represented by the formula:



(wherein  $e$  represents 1 or 2; and  $Z$  represents an oxygen atom or a group represented by the formula  $-CR_{X7}R_{X8}$ - or the formula  $-NR_{X9}$ - (wherein  $R_{X7}$ ,  $R_{X8}$  and  $R_{X9}$  each independently represent a hydrogen atom, a hydroxyl group or a  $C_{1-6}$  alkyl group))); and  $Y_{A3}$  represents a


hydrogen atom or an optionally substituted C<sub>1-6</sub> alkyl group).

25. (Previously presented) A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of Y<sub>A1</sub> and Y<sub>A2</sub> in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula  $-(CH_2)_2-A_{13}-A_{14}$  (wherein A<sub>13</sub> represents a single bond, a carbonyl group or a sulfonyl group; and A<sub>14</sub> represents a C<sub>1-6</sub> alkyl group, a group represented by the formula -NR<sub>A13</sub>R<sub>A14</sub> (wherein R<sub>A13</sub> and R<sub>A14</sub> each independently represent a hydrogen atom, a C<sub>1-6</sub> alkyl group or a C<sub>3-8</sub> cycloalkyl group), or a group represented by the formula:




(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula -CR<sub>X7</sub>R<sub>X8</sub>- or the formula -NR<sub>X9</sub>- (wherein R<sub>X7</sub>, R<sub>X8</sub> and R<sub>X9</sub> each independently represent a hydrogen atom, a hydroxyl group or a C<sub>1-6</sub> alkyl group))); and Y<sub>A3</sub> in the formula (VIII) represents a hydrogen atom.

26. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R<sub>1</sub> represents a group represented by the formulas:




(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,

wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:




(wherein  $R_{N1}$  and  $R_{N2}$  each independently represent a hydrogen atom or a  $C_{1-6}$  alkyl group)).


27. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




28. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:




29. (Previously presented) A compound according to claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein  $R_1$  represents a group represented by the formulas:



30. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein the compound is represented by the general formula:




(wherein  $R_1$  represents a group represented by the formulas:



(each of the foregoing members being optionally substituted with a group selected from Substituent Group Beta,

wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C<sub>1-6</sub> alkyl group, a C<sub>3-8</sub> cycloalkyl group, and a group represented by the formulas:



(wherein R<sub>N1</sub> and R<sub>N2</sub> each independently represent a hydrogen atom or a C<sub>1-6</sub> alkyl group)); and R<sub>9</sub> represents a group represented by the formula -NHR<sub>20</sub> (wherein R<sub>20</sub> represents a methyl group, an ethyl group or a cyclopropyl group)).

31. (Currently amended) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidin-1-yl)-1H-indole-3-carboxamide;
- (2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) 5-(6-(((4-pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-

- carboxylic acid methylamide;
- (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (9) 5-(2-(3-((1S)-1-carbamoyl-2-ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
  - (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
  - (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
  - (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;



- (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamoyl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-(((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-methyl-5-(2-(((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-methyl-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-methyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-

- carboxylic acid methylamide;
- (37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (39) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (43) 5-(2-(((4-(3-methylcarbamoylethyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (45) 5-(2-(((4-((pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (60) N1-ethyl-5-(2-(((1-methyl-4-piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (65) N1-ethyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-

- pyridyl)oxy-1H-1-indolecarboxamide;
- (68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;

- (83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (88) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (90) N4-(4-(1-(cyclopentylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (91) 5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;
- (92) N1-cyclopentyl-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (95) N4-(4-(1-((3-methylbutyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (98) N4-(4-(1-((1-ethylpropyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-

- morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (100) N1-(1-pentyl)-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- ~~(102) N1-methyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(103) N1-methyl-3-chloro-5-(2-(((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(104) N1-methyl-3-chloro-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(105) N1-methyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(106) N1-methyl-3-chloro-5-(2-(((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;~~
- ~~(108) N1-methyl-3-chloro-5-(2-(((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(109) N1-ethyl-3-chloro-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- ~~(112) N1,3-dimethyl-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~

- (113) ~~N1,3 dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- (114) ~~N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;~~
- (115) ~~N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;~~
- (116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. (Currently amended) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting

of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (10) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (14) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;



- (16) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (18) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (22) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- ~~(25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;~~
- (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-

indolecarboxamide;

- (32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. (Previously presented) A pharmaceutical composition comprising a compound according to claims 1 or 2 and a pharmaceutical adjuvant.

35. through 53. (Canceled).

54. (New) A compound according to claim 1, a salt or hydrate thereof, wherein the

compound is N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide.

55. (New) A compound according to claim 1, a salt or hydrate thereof, wherein the compound is N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide.

56. (New) A compound according to claim 1, a salt or hydrate thereof, wherein the compound is N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.